

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Examiner:

Group Art Unit: 2182

In re:

Banton et al

Serial No.:

10/076,207

Filed:

February 14, 2002

For:

CARD-CAGE WITH INTEGRATED

CONTROL AND SHAPING OF FLOW

RESISTANCE CURVE FOR

MULTIPLE PLENUM CHAMBERS

Case No.:

0102323-00090

CERTIFICATE OF MAILING

The undersigned certifies that this correspondence is being deposited with the U.S. Posal Service with sufficient postage as first class mail

addressed to the Assistant Commissioner for Patents, Washington, DC 2023

David J. Powsner Reg. No. 31,868

Supplemental Information Disclosure Statement

Assistant Commissioner for Patents Washington, D.C. 20231

Dear Sir:

Pursuant to 37 C.F.R. §§ 56 and 97 et seq, the Applicants cite the information on the accompanying modified form PTO 1449. The Applicants also enclose copies of the cited publications.

This Disclosure Statement is being filed under Rule 97(b), that is, within three months of the filing date of a national application (or entry of the national phase in the case of an international application) or before the mailing date of a first Office Action, whichever event occurs last.

The filing of this Statement shall not be construed as a representation that a search has been conducted, nor as an admission that the information cited herein is (or is considered to be) material to patentability, nor that the publication or information cited herein is prior art.

The Applicants understand no fees, apart from those referred to above, if any, are necessary in order to insure consideration of the information cited herein. If the Applicants understanding in this regard is incorrect, please charge any such fees to Deposit Order Account 141449. For this purpose, a duplicate of this document is enclosed.

Respectfully Submitted,

Dated:

10/23/02

David J. Powsner, Reg. No. 31,868

Attorney for Applicants

NUTTER, McCLENNEN & FISH LLP World Trade Center West 155 Seaport Boulevard Boston, MA 02110-2699

Telephone: 617-439-2717 Telefax: 617-310-9717

1156611.1